



LOGAN COUNTY ENGINEER - ACCESS PERMIT REQUEST

P.O. BOX 427 / 1991 COUNTY ROAD 13 / BELLEFONTAINE, OHIO 43311

[HTTP://lceo.us](http://lceo.us) - (937) 592-2791 / (937) 599-2658 FAX

<p>DATE:</p> <p>CONTACT PERSON:</p> <p>CURRENT ADDRESS:</p> <p>PHONE #:</p> <p>EMAIL:</p> <p>TOWNSHIP:</p> <p>PARCEL #:</p> <p>LOT#: SUBDIVISION:</p> <p>ROAD NUMBER:</p> <p>SIDE OF ROAD: <input type="checkbox"/>NORTH <input type="checkbox"/>SOUTH <input type="checkbox"/>EAST <input type="checkbox"/>WEST</p> <p>LOCATED BETWEEN ADDRESS:</p> <p>AND</p> <p>INTENDED ACCESS USE:</p> <p>FIELD MARKER DESCRIPTION:</p> <p>The driveway or roadside pipe location is subject to the requirements and approval of the Logan County Engineer. Desired driveway location may not be approved. Non-compliance with driveway or Common Access Drive (CAD) requirements may result in the withholding of the final Certificate of Occupancy for any buildings/structures.</p> <p>By signing this application, the property owner agrees to construct or cause to be constructed the driveway or roadside pipe described in accordance with the policies, procedures, requirements, specifications and conditions of the Logan County Engineer at the approved driveway location. Once constructed, the property owner is responsible for keeping the driveway (or CAD) and driveway pipe (or roadside pipe) in proper repair and working order. Property owner is responsible for driveway repair, maintenance and pipe replacement as required. All information provided above is true and accurate.</p> <p>SIGNATURE:</p>	<p>OFFICE USE ONLY PERMIT #: _____</p> <p>PERMIT USE:</p> <p><input type="checkbox"/> FIELD/TRAIL (NO UTILITIES) - \$25.00</p> <p><input type="checkbox"/> BUILDING OR STRUCTURE WITH UTILITIES - \$25.00</p> <p><input type="checkbox"/> SINGLE FAMILY RESIDENCE - \$25.00</p> <p><input type="checkbox"/> SINGLE FAMILY CAD (5 OR LESS RESIDENCE) - \$25.00</p> <p><input type="checkbox"/> MULTI FAMILY RESIDENCE (5 OR LESS UNITS) - \$25.00 <input type="checkbox"/> LOW</p> <p>VOLUME DRIVEWAY *</p> <p><input type="checkbox"/> MEDIUM VOLUME DRIVEWAY *</p> <p><input type="checkbox"/> HIGH VOLUME DRIVEWAY *</p> <p><input type="checkbox"/> OTHER (UTILITY SERVICE PROVIDERS) - \$25.00</p> <p>FINAL PERMIT WILL NOT BE RELEASED UNTIL PAYMENT IS RECEIVED (CASH OR CHECK ONLY)</p> <p>ROAD TYPE: <input type="checkbox"/> LOCAL ROAD <input type="checkbox"/> MINOR COLLECTOR <input type="checkbox"/> MAJOR COLLECTOR <input type="checkbox"/> OTHER</p> <p>DRIVE REQUIRMENTS: (LOCATION, DIMENSIONS AND PIPE REQUIREMENTS)</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>NEW ADDRESS: _____</p> <p>_____</p> <p>APPROVED BY: _____</p> <p>RECEIPT #: _____ FEE PAID \$ _____</p> <p>PERMIT WILL EXPIRE IF NOT CONSTRUCTED BY: _____</p> <p>VARIANCE GRANTED: _____</p> <p>CONSISTENT WITH PRELIM APPROVAL: _____</p> <p>CUSTOMER NOTIFIED: _____</p> <p>FINAL INSPECTION: BY: _____ DATE: _____</p>
<p>SKETCH:</p>	



- NOTES**
1. MAXIMUM LONGITUDINAL GRADE ON A DRIVEWAY SHALL BE 10% (10' in 100'). DRIVEWAYS SHALL BE CROWNED.
 2. DRIVEWAY PIPE (IF REQUIRED) SHALL BE INSTALLED IN ACCORDANCE WITH THESE SPECIFICATIONS.
 3. THE PROPERTY OWNER, BUILDER OR DEVELOPER IS REQUIRED TO CONSTRUCT DRIVEWAYS & DRIVEPIES & TO KEEP THOSE & APPROACHES IN GOOD REPAIR & WORKING CONDITION. (SEE O.R.C. 5543.16)
 4. THE DRIVEWAY & DRIVEPIPE SHALL BE REPLACED IF NOT INSTALLED PROPERLY OR KEPT IN GOOD WORKING CONDITION. IF REPLACEMENT IS NOT COMPLETED WITHIN 15 DAYS AFTER NOTIFICATION BY LOGAN COUNTY, LOGAN COUNTY WILL DO THE WORK & THE COST WILL BE ASSESSED TO THE PROPERTY OWNER.
 5. A PERMIT MUST BE OBTAINED FROM THE LOGAN COUNTY ENGINEER. NO CONSTRUCTION SHALL START UNLESS A PERMIT IS OBTAINED.
 6. THE COUNTY ENGINEER SHALL DETERMINE THE SIZE (DIAMETER) OF THE CULVERT REQUIRED.
 7. NO DRIVEWAY SHALL INTERSECT A PUBLIC ROAD AT ANGLE OF LESS THAN 70°. 90° IS PREFERRED.
 8. THE GRADE SHALL BE ON THE FLOW LINE OF THE EXISTING SIDE DITCH & SHALL SLOPE WITH THE NATURAL GRADE OF THE DITCH UNLESS OTHERWISE DIRECTED BY THE ENGINEER.
 9. THE OWNER SHALL BE RESPONSIBLE FOR THE PURCHASE OF ALL THE MATERIALS & THE INSTALLATION OF THE MATERIALS & SHALL PAY ALL THE COSTS OF SAID MATERIALS & LABOR.
 10. THE COUNTY MAY INSPECT THE DRIVEWAY AFTER CONSTRUCTION TO CHECK COMPLIANCE OF THE ABOVE.

DRIVEWAY MATERIALS	
FARM OR UTILITY	6" (MIN.) CRUSHED AGGREGATE
RESIDENTIAL	2" ASPHALT CONCRETE OVER 6"(MIN.) CRUSHED AGGREGATE OR
	8" (MIN.) CRUSHED AGGREGATE OR
COMMON ACCESS	6" CONCRETE (REINFORCING RECOMMENDED) SEE APPENDIX B


- ACCEPTABLE PIPE**
1. RIVETED OR WELDED CORRUGATED METAL
 2. REINFORCED CONCRETE PIPE
 3. DOUBLE WALLED CORRUGATED PLASTIC (ADS N12)

ODOT ITEM 304 OR 411 BEDDING AND BACKFILL AROUND DRIVE PIPES. 57'S WOULD BE RECOMMENDED IF DITCH IS WET.

REQUIRED DIAMETER, AS SPECIFIED BY THE LOGAN COUNTY ENGINEER'S OFFICE. 30' MIN. PIPE LENGTH.



REMOVE SOD AND SOIL TO 6" MIN. BELOW THE FLOW LINE AND BACKFILL WITH CRUSHED STONE TO THE FLOW LINE.

DRIVE PIPE DETAIL



COVER AT LEAST 22' OF PIPE WITH BACKFILL.

DRIVEWAY PROFILE



CONCRETE DRIVEWAYS SHALL TERMINATE 4' MIN FROM EDGE OF ROADWAY PAVEMENT (PLACE 2" ASPHALT OVER 6" CRUSHED STONE BETWEEN CONCRETE DRIVEWAY & EDGE OF PAVEMENT).

