
Description of land to be transferred from Annie Miller etal to Marion Tanger

The following described real estate situated in Harrison Township, Longan County, Ohio, and being in the Northea st quarter of Sec. 22 Town 3, Range Li of the between the Miami Rivers Survey.

Commencing at the intersection of the center line of S.H. #234

(Route 47) and C.H.#46 in the north line of said section, thence with the center of said S.H.#46 S. 2°-45' W. 814.57 feet to a stone, thence with the north line of Claude R. Tangers 106 acre tract N. 87° - 00' W. 677.67 feet to a post; thence N. 2°-45' E. 814.57 feet to the center of S.H.#234 (Route 47) thence S. 87°-00' E. 677.67 feet to the place of beginning containing 12.67 acres.

The above tract is off the east end of a 50.00 acre tract belonging to Annie Miller etal.



INDEXED ON MAP

Description of land to be transferred from Marion Tanger to D. William Tanger and Margery J. Tanger.

The following described Real Estate situated in Harrison Township,
Logan County, Ohio, and being in the northeast quarter of Section 22, Town 3,
Range 11 of the Between the Miami Rivers Survey.

Commencing at the entersection of the center line of S. H. # 234 (Route # 47) and C. H. # 46 in the north line of said section; thence with the center of said C. H. # 46 S. 2°-45' W. 407.57 feet for a beginning point of this description; thence continuing with the center of said C. H. # 46 S. 2°-45' W. 407.00 feet to a stone; thence with the north line of Claude R. Tangers 106 acre tract N. 87°-00' W. 677.67 feet to a post; thence N. 2°-45' E. 407.00 feet; thence S. 87°-00' E. 677.67 feet to the place of beginning containing 6.33 acres.

It is the intention of this description to describe 6.33 acres off the south side of Marion Tangers 12.67 acre tract which was obtained off the east end of a 50.00 acre tract belonging to Annie Miller et al.

December 15, 1947.

E. K. Core,

Surveyor.

Z8/G INDEXED ON MAP

5-24-18 DEED REFERENCES: SURVEY REFERENCES: LEGEND: O.R. 64, PG. 975 SURVEY BY CLAYTON M. LEE, P.S. 6181, ENTITLED HARROW TOOTH FOUND "SURVEY OF 4.23 ACRES OUT OF RUTH E. TANGER'S O.R. 227, PG. 60 O.R. 668, PG. 295 6.34 A.C.", UNDATED. ⊕ IRON BOLT FOUND O.R. 977, PG. 525 O.R. 1250, PG. 228 SURVEYS BY JEFFREY I. LEE, P.S. 6359, ENTITLED: © 1/2 INCH IRON ROD FOUND O.R. 1258, PG. 522 "2 SURVEYS OUT OF THE BAYLESS ORIGINAL 101 ○ 5/8 INCH IRON ROD FOUND ACRE TRACT", DATED MAY 15, 1988. ● 5/8 INCH IRON ROD SET WITH PLASTIC "SURVEY OF 2.000 ACRES OUT OF THE SCOTT A. I.D. CAP STAMPED "L-8533" GAVER AND CHERYL S. GAVER ORIGINAL 37.33 DISTANCES SHOWN HEREON ARE IN ACRE TRACT ", DATED JUNE 9, 1999. R/W = RIGHT-OF-WAYU.S. SURVEY FEET C/L = CENTER-LINE (60') ROAD 31 (40°) OLIGENE SCOTT TOWNSHIP 50 4.23 ACRES O.R. 1250, PG. 228 ROAD 46 ROBERT A. FULWIDER RETRACEMENT SURVEY OF THE 35.330 ACRES O.R. 977, PG. 525 EAST LINE OF THE ROBERT A. FULWIDER TOWNSHIP JAMES L. KIPKER AND 35.330 ACRE TRACT MATTHEW W. ROBINSON NORMA K. KIPKER AND ANNA L. ROBINSON OFFICIAL RECORD 977, PAGE 525 SECTION 22, TOWN 3, RANGE 14 2.000 ACRES O.R. 668, PG. 295 19.96 395.17 BETWEEN THE MIAMI RIVERS SURVEY N 84°32'24" W 2001.98' 22. HARRISON TOWNSHIP 1411.30 SECTION LOGAN COUNTY, OHIO 175.55 JERILU FARM LLC SURVEYED BY: TEOF 98.777 ACRES O.R. 1258, PG, 522 PARCEL THREE CHARLES D. STEVENS AND LORI J. STEVENS DANIEL A. NEER 4.00 ACRES PROFESSIONAL SURVEYOR NO. 8533 -8533 THIS SURVEY WAS PREPARED IN THE ABSENCE OF O.R. 64, PG. 975 MAY 10, 2018 A COMPLETE AND ACCURATE TITLE SEARCH AND COPYRIGHT 2018 BY: DOES NOT GUARANTEE TITLE. LEE SURVEYING & MAPPING CO. BASIS FOR BEARINGS: 117 North Madriver Street 2 WORKING DAYS

BEFORE YOU DIG


CALL TOLL FREE 800-362-2764

OHIO UTILITIES PROTECTION SERVICE.

THE BASIS FOR BEARINGS, SHOWN HEREON,

SYSTEM, NORTH ZONE, NAD83 (2011).

IS GRID NORTH, OHIO STATE PLANE COORDINATE



BELLEFONTAINE, OHIO 43311

(937) 593-7335

WWW. LSMINC. US

surveys@lsminc.us

Lee Surveying and Mapping Co.



Farm Surveys Lot Surveys Descriptions Subdivisions

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311 CLAYTON M. LEE, P. S. (513) 593-5780

Lying in the northwest quarter of Section 22, Town 3, Range 14, Harrison Township, Logan County, Ohio and being out of that 6.34 acres described in Volume 267, Page 78, and better described as follows:

Beginning at a bolt found at the intersection of State Route No. 47 with County Koad No. 46, thence, with the center-line of S.R. 47, S'87°-00' E, a distance of 225.3 feet to the true point of beginning.

THENCE, S 20-45' W, parallel to County Road 46, a distance of 407.57 feet to the south line of said 6.34 acre tract, passing an iron rod set at 30.0 feet.

THENCE, along the south line, N 870-00' W, a distance of 452.57 feet to an iron rod set at the southwest corner of said 6.34 acres.

THENCE, N 20-45' E, along the east line of the Miller 37.33 acres, a distance of 407.57 feet, to the center-line of said S.R. 47, passing an iron rod at 377.57 feet.

THENCE, S 87°-00' E, with the center-line of said S.R. 47, a distance of 452.57 feet to the point of beginning. Containing 4.23 acres.

Last previous deed reference: Volume 267, Page 78.

SURVEYED BY

Clayton M. Lee Reg. Surveyor 6181

8-25-76



Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

855 EAST SANDUSKY AVENUE BELLEFONTAINE, OHIO 43311 (513) 593-5780

CLAYTON M. LEE, P.S. JEFFREY I. LEE, P.S.

RUTH TANGER HOUSE TRACT

Lying in the northwest quarter of Section 22, T-3, R-14, Harrison Township, Logan County, Ohio and being a part of the Tanger 6.34 acres (Volume 267, Page 78) and more particularly described as follows:

Beginning at a bolt found marking the northeast corner of said northwest corner of Section 22 and also being the center-line intersection of State Route No. 47 with Township Road No. 46 and the northeast corner of this survey.

THENCE, with the center-line of Township Road 46, S 2°-42' W, a distance of 407.57 feet to a railroad spike found marking the southeast corner of said 6.34 acres.

THENCE, with the south line of said 6.34 acres, N 87°-00' W, a distance of 225.66 feet to an iron rod set for the southwest corner of this survey. Passing an iron rod set on the road right-of-way line at 25.00 feet.

THENCE, N 2°-45' W, a distance of 407.57 feet to the center-line of State Route 47. Passing an iron rod set on the highway right-of-way line at 377.57 feet.

THENCE, with the center-line of State Route 47, S 87°-00' E, a distance of 225.3 feet to the point of beginning. Containing 2.11 acres.

Last previous deed reference: Volume 267, Page 78.

Surveyed by:

Clayton M. Lee

Reg. Surveyor No. 6181

8-25-76

