



Lee Surveying and Mapping Co.



Farm Surveys . Lot Surveys . Topography . Subdivisions . Construction Layout

143 EAST COLUMBUS AVENUE BELLEFONTAINE, OHIO 43311 (513) 593-7335

JEFFREY I. LEE, P.S.

PROVICO (0.985 ACRE)

Lying in the Village of Huntsville, V.M.S. 9904, McArthur Township, Logan County, Ohio.

Being all of Tracts I, II, and III of the Howard Snapp lands as deeded and described in Official Record 10, Page 41 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning on the south right-of-way of Napoleon Street (60 feet wide) at a PK nail set in a drill hole at the northeast corner of the Howard Snapp 1.295 acre tract (0.R. 73, Pg. 576).

THENCE, with the south right-of-way of Napoleon Street, S 73°-24'-55" E, a distance of 96.84 feet to a 3/4 inch iron rod set.

THENCE, with the west line of the William Counsins 0.028 acre tract (Vol. 326, Pg. 235), S 15°-25'-48" W, a distance of 60.00 feet to a 3/4 inch iron rod set.

THENCE, with the south line of the said 0.028 acre tract, S 73°-24'-55" E, a distance of 20.00 feet to a 3/4 inch iron rod set.

THENCE, S 15°-25'-48" W, a distance of 72.16 feet to a 3/4 inch iron rod set.

THENCE, S 73°-36'-41" E, a distance of 15.57 feet to a rail road spike set at the northwest corner of a 16.5 feet wide alley.

THENCE, with the west line of said alley, S 15°-27'-09" W, a distance of 214.67 feet to a 3/4 inch iron rod set in the north line of South Street (50 feet wide).

THENCE, with the north line of South Street, N $73^{\circ}-54^{\circ}-45^{\circ}$ W, a distance of 132.26 feet to a 3/4 inch iron rod set.

THENCE, with the east line of the aforesaid 1.295 acre tract, N 15°-25'-24" E, a distance of 347.92 feet to the point of beginning.

Containing 0.985 acres of which 0.604 acre is within Huntsville Lots 43, 44, and 45, and the remaining 0.381 acre is within V.M.S. 9904.

The basis for bearings is based upon the center-line of Napoleon Street being S 73°-24'-55" E, and all other bearings are from angles and distances measured in a field survey completed by Lee Surveying and Mapping Company on August 15, 1991.

Description prepared by:

INDEXED ON MAP

Veffrey 1. Lee Professional Surveyor 6359

August 28, 1991

ORIGINAL

L 1679





