

The following described land in Lake Township, Logan County Ohio, and being in V.M.S. 5045

Beginning at an iron in the center of Road Number 181 known as the Hemphill Road and in the center of County Road Number one known as the Ludlow Pike thence with the center line of said road number 181 S. 54 - 20 E. 316.5 feet to an iron thence again with the center of said road number 181 S. 84 - 40 E. 62.6 feet to an iron at the N.W. corner of D. Jones 1.12 acre tract thence with the west end of said Jones tract S. 5 - 20 W. 60.0 feet to an iron the last described line passing an iron at the south side of said road number 181 at 20.0 feet and also passing an iron at the S.W. corner of said Jones 1.12 acre tract at 56.3 feet thence with the present fence line S. 76 - 45 W. 244.2 feet ~~1/61~~ to an iron in the center of said County Road Number one the last described line passing an iron at the east side of said Ludlow Road Number one at 214.2 feet thence with the center line of said Road Number one N. 13 - 55 W. 315.2 feet to the place of beginning said described tract containing 1.00 acre

cc
Logan County Engineer.

2968 1D-1


INDEXED ON MAP

Poor scale

Road 181

0.45

Present 0.45 To be transfered from
Richard Marquis To Howard Marquis
One Acre (Red and Yellow) To be transfered
Howard Marquis To Richard Marquis



Jones - Marquis Survey Lake Township I.12 Acres June 1956

The following described land in Lake Township, Logan County Ohio and being in V.M.S. 5045

Being 1.12 acres out of the north side of Howard E. Marquis present 38.59 acre tract the 1.12 acres being more fully described as follows :

Beginning at a stone in the center of County Road Number 181 at the N.E. corner of Howard E. Marquis present 38.59 acre tract and said stone also being in the ~~West~~ ^{East} line of V.M.S. 5045 thence with the center of said road number 181 N. 84 - 40 W. 653.7 feet to an iron said iron being the beginning point of this survey thence again with the center line of Road Number 181 N. 84 - 40 W. 305.8 feet to an iron thence S. 5 - 20 W. 56.3 feet to an iron in the north right of way line of what was formerly the T.&O.C. R.R. the last described line passing an iron at the south side of said road number 181 at 20.0 feet thence with said right of way line S. 50 - 42 E. 368.7 feet to an iron thence N. 5 - 20 E. 262.3 feet to the place of beginning the last described line passing an iron at the south side of the road at 242.3 feet said described tract containing 1.12 acres.

cc
Logan County Engineer.

2968 D-2

INDEXED ON MAP

Marquis Survey Lake Township August 1958

| | | | |
|---------|---|-------|-------|
| Tract # | 1 | 12.83 | Acres |
| Tract # | 2 | 2.96 | Acres |
| Tract # | 3 | 0.80 | Acres |

(This description rewritten July 1961 to correct error.)

The following described land in Lake Township, Logan County, Ohio and being in V.M.S. 5045

Tract # 1

Beginning at a point in the center of the Ludlow Pike (known also as County Road Number one) at the S.W. corner of Howard Marquis present 35.57 acre tract and also being the N.W. corner of Leo Fitzpatrick's 6.30 acre tract thence with the center line of said Ludlow Pike N. 13 - 55 W. 534.0 feet to an iron for the true beginning point of this survey.

Thence S. 86 - 51 E. 746.5 feet to a six inch wood post in the east line of V.M.S. 5045. The last described line passing an iron at the east side of the Ludlow Pike at 31.38 feet. (being 30.00 feet from the center line when measured at right angles)

Thence with the west side of Arlyn Smith's 69.12 acre tract and also with the east line of V.M.S. 5045 N. 3 - 43 E. 687.5 feet to an iron .

Thence S. 89 - 31 W. 947.0 feet to an iron in the center of the Ludlow Pike. The last described line passing an iron at the east side of the Ludlow Pike at 916.16 feet. (Being 30.00 feet from the center line when measured at right angles)

Thence with the center of the Ludlow Pike S. 13 - 55 E. 655.5 feet to the place of beginning.

The above described tract containing 12.83 acres.

Tract # 2

Beginning in the center of the Ludlow Pike (Also known as County Road Number one) at the S.W. corner of Howard Marquis present 35.57 acre tract and also being the N.W. corner of Leo Fitzpatrick's 6.30 acre tract thence with the center line of said Ludlow Pike N. 13 - 55 W. 1189.5 feet to an iron, Thence N. 89 - 31 E. 236.5 feet to an iron for the true beginning point of this survey.

again N. 89 - 31 E. 710.5 feet to an iron in the west line of Arlyn Smith's 69.12 acre tract and also being in the east line of V.M.S. 5045

2968 INDEXED ON MAP 2D-1

Marquis Survey Continued

Thence with the west line of said Smith tract and also with the east line of V.M.S. 5045 N. 3 - 22 E. 175.3 feet to an iron.

Thence S. 89 - 31 W. 764.1 feet to an iron.

Thence S. 13 - 55 E. 179.9 feet to the place of beginning.

Tract # 2 above described containing 2.96 acres.

Tract # 3

Begining in the center of the Ludlow Pike (Also known as County Road Number one) at the S.W. corner of Howard Marquis present 35.57 acre tract and also being the N.W. corner of Leo Fitzpatrick's 6.30 acre tract. Thence with the center line of said Ludlow Pike N. 13 - 55 W. 1189.5 feet to an iron for the true beginning point of this survey.

Thence N. 89 - 31 E. 236.5 feet to an iron. The last described line ~~passing~~ passing an iron at the east side of the Ludlow Pike at 30.84 feet (Being 30.00 feet from the center line when measured at right angles)

Thence N. 13 - 55 W. 179.9 feet to an iron.

Thence S. 76 - 05 W. 230.0 feet to an iron in the center of the Ludlow Pike. The last described line passing an iron at the east side of the Ludlow Pike at 200.0 feet

Thence with the center line of the Ludlow Pike S. 13 - 55 E. 125.0 feet to the place of beginning.

Tract # 3 above described containing 0.80 of one acre.

cc
Logan County Engineer

INDEXED ON MAP

2968
2D-2

SEE CORRECTED DESCRIPTIONS

| | | | | |
|----------------|---------------|-------------|-----------|-------------|
| Marquis Survey | Lake Township | August 1958 | Tract # 1 | 12.83 Acres |
| | | | Tract # 2 | 2.96 Acres |
| | | | Tract # 3 | 0.80 Acre |
| | | | | 26.59 |

The following described land in Lake Township, Logan County Ohio and being in V.M.S. 5045

Tract # I

Beginning at an iron in the center of The Ludlow Pike at the S.W. corner of Howard E. Marquis present 35.57 acre tract and also being the N.W. corner of Leo Fitzpatrick's 6.00 acre tract and also being station 29I plus 89 of the Ludlow Pike survey as shown in Logan County Engineer's Field Book Number 598 page 23 thence with the north line of said

Fitzpatrick 6.00 acre tract S. 86 - 51 E. 746.5 feet to a six inch wood post at the N.E. corner of said 6.00 acre tract and said post being in the east line of V.M.S. 5045 the last described line passing an iron at the east side of the Ludlow Pike at 31.38 feet (being 30.00 feet from the center line when measured at right angles) thence with the west side of Arlyn Smith's 69.12 acre tract and also with the east line of V.M.S. 5045 N. 3 - 43 E. 687.5 feet to an iron thence S. 89 - 31 W. 947.0 feet to an iron in the center of the Ludlow Pike (County Road Number one) the last described line passing an iron in the east line of the Ludlow Pike at 916.16 feet (being 30.00 feet from the center line when measured at right angles) thence with the center line of the Ludlow Pike S. 13 - 55 E. 655.5 feet to the place of beginning said tract containing 12.83 acres . The 12.83 acres being off of the south side of the present 35.57 acre tract.

Tract # 2 Beginning at an iron in the center of the Ludlow Pike at the S.W. corner of Howard E. Marquis present 35.57 acre tract and also being the N.W. corner of Leo Fitzpatrick's 6.00 acre tract and also being station 29I plus 89 of the Ludlow pike survey as shown in Logan County Engineer's field Book Number 598 page 23 thence N. 13 - 55 W. 655.5 feet to an iron the last described line being with the center line of the Ludlow Pike ~~at the iron point of the beginning point of this survey thence~~ thence

N. 89 - 31 E. 236.5 feet to an iron said iron being the beginning point of this survey thence again N. 89 - 31 E. 710.5 feet to an iron in the west line of Arlyn Smith's 69.12 acre tract and also being in the east line of V.M.S. 5045 thence with the west line of said Smith tract and also with the east line of V.M.S. 5045 N. 3 - 22 E. 175.3 feet to an iron (continued on sheet 2)

INDEXED ON MAP
2968
2D-3

Marquis Survey continued from sheet I

(Tract 2 continued) thence S. 89 - 31 W. 764.1 feet to an iron thence S. 13 - 55 E. 179.9 feet to the place of beginning said tract containing 2.96 acres.

Tract # 3

Beginning at an iron in the center of the Ludlow Pike at the S.W. corner of Howard E. Marquis present 35.57 acre tract and also being the S.W. corner ~~of Leo Fitzpatrick 6.00 acre tract~~ and also being station 291 plus 89 of the Ludlow Pike survey as shown in Logan County Engineer's field book 598 page 23 thence ~~thence~~ with the center line of said Ludlow Pike

N. 13 - 55 E. 655.5 feet to an iron said iron being the beginning point of this survey thence N. 89 - 31 E. 236.5 feet to an iron the last described line passing an iron at the east side of the Ludlow Pike at 30.84 feet (being 30.00 feet from the center line when measured at right angles) thence N. 13 - 55 W. 179.9 feet to an iron thence S. 76 - 05 W. 230.0 feet to an iron in the center of the Ludlow Pike the last described line passing an iron at the east side of the Ludlow Pike at 200.0 feet thence with the center line of the Ludlow Pike S. 13 - 55 E. 125.0 feet to the place of beginning said tract containing 0.80 of one acre.

cc
Logan County Engineer

2968

2D4

INDEXED ON MAP

MARQUIS TO MOORE DESCRIPTION
(May, 1962)

Being situated in Lake Township, Logan County, Ohio,
and being a part of V. M. S. 5045.

Beginning at a stone where the east line of said V. M. S.
5045 intersects the center of County Highway #181. Thence
with the east line of said V. M. S. 5045 S 4°-52'W 264.6 feet
to an iron.

Thence N83°-56'W 333.8 feet to an iron at the southeast
corner of Warren Witwer's 0.75 acre tract.

Thence E 5°-54'E 262.9 feet with the east line of Warren
Witwer's 0.75 acre tract to an iron in the center of County
Highway #181 passing through an iron at 242.3 feet.

Thence with the center of County Highway #181 S84°-04'E
328.4 feet to the place of beginning.

Containing 2.00 acres more or less.

Owen K. Shirk
Surveyor #4271

INDEXED ON MAP
2968 4D

MARQUIS TO ELLEMAN DESCRIPTION
(August, 1962)

Being situated in Lake Township, Logan County, Ohio;
and being a part of V. M. S. #5045.

Beginning at a stone where the south line of Lake
Township intersects the Ludlow Road.

Thence with the center of County Highway #1 (Ludlow
Road) N13°-55'W 2013.0 feet to the northwest corner of
D. L. Neal's 0.97 acre tract for the place of beginning
for this description.

Thence continuing with the center of County Highway
#1 N13°-40'W 125.0 feet.

Thence N76°-05'E 230.0 feet to an iron, passing through
an iron at 30.0 feet.

Thence N89°-36'E 123.5 feet to an iron.

Thence S13°-40'E 125.0 feet to an iron.

Thence S89°-36'W 123.5 feet to an iron.

Thence S76°-05'W 230.0 feet to the place of beginning,
passing through an iron at 200.0 feet.

Containing 1.00 acre more or less.

Owen K. Shirk
Surveyor #4271



MARQUIS TO WAITE & WARNER DESCRIPTION
May 1961

Being situated in Lake Township, Logan County, Ohio,
and being a part of V.M.S.#5045.

Beginning at a stone where the south line of Lake Township
intersects the Ludlow Road.-

Thence with the center of County Highway #1 (Ludlow Rd.)
N 13°-55'W 1888.0 feet to the place of beginning for this
description. Said point is the northwest corner of C. Warner's
0.80 acre tract.

Thence continuing with the center of County Highway #1
N13°-55' W 125.0 feet.

Thence N 76°-05'E 230.0 feet to an iron, passing through
an iron at 30.0 feet.

Thence N 89°-36'E 123.5 feet to an iron.

Thence S 1°-12'E 121.6 feet to an iron.

Thence S 89°-36'W 96.0 feet to an iron.

Thence S 76°-05'W 230.0 feet to an iron, passing through
an iron at 200.0 feet.

Containing 0.97 of an acre more or less.

1588.0
- 1343.0

1343.0

on Plat Book

Owen K. Shirk
Surveyor #4271

2968
6D
INDEXED ON MAP

MARQUIS DESCRIPTION
June 1961

Being situated in Lake Township, Logan County, Ohio,
and being a part of V.M.S. #5045.

Beginning at a stone where the south line of Lake
Township intersects the Ludlow Road.

Thence with the center of County Highway #1 (Ludlow
Road) N 13⁰-55'W 545.0 feet to the place of beginning;
said point is the northwest corner of Leo Fitzpatrick's
6.30 acre tract.

Thence continuing with the center of County Highway
#1 N 13⁰-55' W 240.0 feet.

Thence S 84⁰-05'E 250.0 feet to an iron, passing
through an iron at 31.9 feet.

Thence S 13⁰-55'E 240.0 feet to an iron in the north
line of Fitzpatrick's 6.30 acre tract.

Thence with the north line of Fitzpatrick's 6.30
acre tract N84⁰-05'W 250.0 feet to the place of beginning.

Containing 1.30 acres more or less.

Owen K. Shirk
Surveyor #4271

2968

7D

INDEXED ON MAP.

On Plat Book