

BEARD-AIKEN SURVEY
V. M. S. 9907
McARTHUR TOWNSHIP

January 16, 1965

The following described real estate situated in McArthur Township, Logan County, Ohio and being part of Virginia Military Survey 9907 and more particularly described as follows:

Commencing at a stone in the center of State Route 274 at the Northwest corner of said V.M.S. 9907, as shown in Logan County Engineer's field book 559, page 75; thence with the centerline of said State Route 274 and the north line of said V.M.S. 9907, N. $79^{\circ}-19'$ E., 1118.00 feet to an iron bar, said iron bar being the beginning point of this description; thence continuing with the centerline of State Route 274, N. $79^{\circ}-19'$ E., 307.20 feet to an iron pin; thence continuing with said centerline of State Route 274, N. $79^{\circ}-33'$ E., 130.24 feet to the northwest corner of F.D. Craigs 1.00 acre tract; thence with said Craig's west line S. $10^{\circ}-27'$ E., 372.0 feet to the southwest corner of said tract; thence with said Craig's south line, N. $79^{\circ}-33'$ E., 117.1 feet to the southeast corner of said tract; thence with said Craig's east line N. $10^{\circ}-27'$ W., 372.0 feet to a point in the center of State Route 274 at the northeast corner of said 1.00 acre tract; thence with the centerline of said State Route 274, N. $79^{\circ}-33'$ E., 468.55 feet to an iron bar at the intersection of the centerlines

3753

ID-1

INDEXED ON MAP

of State Route 274 and State Route 638, thence with the center-line of said State Route 638, S. 4°-30' W., 1509.04 feet to an iron bar; thence S. 79°-35' W., 626.6 feet to an iron pin; thence N. 10°-44' W., 1456.6 feet to the place of beginning.

Containing 26.60 acres more or less.

The above described tract being part of LaVern Beard's 76.60 acre tract.

ID-2

3753

INDEXED ON MAP



- A = Stone Found
- B = R.R. Spike
- C = 1/2" Iron Pin

Beard-Aiken Survey
 V.M.S. 9907
 McArthur Township
 Logan County, Ohio
 January 16, 1965
 Scale 1" = 300'

3753
 3250
 IP

INDEXED ON MAP

Reference:

Logan County Engineer's Field Book 559, page 76, and
 Field Book 666, page 75.

Dan L. Dodson
 Dan L. Dodson
 Registered Surveyor 4270
 Bellefontaine, Ohio

AIKEN SURVEY
V.M.S. 9907
McARTHUR TOWNSHIP

January 16, 1965

The following described real estate situated in McArthur Township, Logan County, Ohio and being part of Virginia Military Survey 9907 and more particularly described as follows;

Beginning at an iron bar in the center of State Route 638 at the northeast corner of Leo D. Scott's 1.00 acre tract; thence with the centerline of said State Route 638, N. 4°-30' E., 237.74 feet to the southeast corner of Walter G. Aiken's 26.60 acre tract; thence with said Aiken's south line, S. 79°-35' W., 626.6 feet to the southwest corner of said Aiken tract; thence S. 10°-44' E., 351.7 feet to an iron pin in the north line of O. A. Stover's 106.85 acre tract; thence with said Stover's north line, N. 79°-35' E., 193.0 feet to the southwest corner of said Scott's 1.00 acre tract; thence with said Scott's west line N. 13°-31' W., 122.2 feet to the northwest corner of said Scott's tract; thence with said Scott's north line, N. 79°-35' E., 377.5 feet to the place of beginning.

Containing 3.67 acres more or less.

The above described tract being part of LaVern Beard's 50.00 acre tract.

2D-1

3753

BEARD SURVEY
V.M.S. 9907
McARTHUR TOWNSHIP

January 16, 1965

The following described real estate situated in McArthur Township, Logan County, Ohio and being part of Virginia Military Survey 9907 and more particularly described as follows:

Beginning at a stone in the center of State Route 274 at the northwest corner of V.M.S. 9907 and the northeast corner of V.M.S. 14033, as shown in Logan County Engineer's field book 559, page 75, said stone also being the northeast corner of Harold R. Carrother's 50.00 acre tract; thence with said survey line and said Carrother's east line S. 10°-44' E. 1803.1 feet to the northwest corner of O.A. Stover's 106.85 acre tract; thence with said Stover's north line N. 79°-35' E., 1118.0 feet to an iron pin at the southwest corner of Walter G. Aiken's 3.67 acre tract; thence with said Aiken's west line N. 10°-44' W., 351.7 feet to the southwest corner of Walter G. Aiken's 26.60 acre tract; thence with said Aiken's west line N. 10°-44' W., 1456.6 feet to an iron bar in the center of State Route 274; thence with the center line of said State Route 274, S. 79°-19' W., 1118.0 feet to the place of beginning.

Containing 46.33 acres more or less.

2D-2

3753