V.M.S. 9884
MCARTHUR TOWNSHIP
September 20, 1975

The following described real estate situated in McArthur Township, Logan County, Ohio and being part of Virginia Military Survey 9884 and more particularly described as follows:


Beginning at a post at the southwest corner of Bernice M.

Bechtel's 6.12 acre tract as described in deed record volume 340,
page 18; thence S.89°38'W. 462.3 feet to an iron pipe; thence
N.3°16'W. 257.7 feet to an iron pipe; thence N.87°10'E. 47.6 feet
to an iron pipe; thence N.3°31'W. 418.6 feet to a wood post;
thence N.4°11'W. 467.5 feet to an iron pipe; thence N.87°37'E.
659.0 feet to an iron pipe in the west line of Otis Varner's
9.53 acre tract; thence with said west line and the west line of
Charles H. Anderson's 0.47 acre tract S.4°13'E. 531.0 feet to an
iron pipe at the southwest corner of said 0.47 acre tract and
the northwest corner of said Charles H. Anderson's 1.96 acre tract;
thence with the west line of said 1.96 acre tract and the west line
of Bernice M. Bechtel's 6.12 acre tract S.18°04'W. 671.7 feet to
the place of beginning.

Containing 16.00 acres more or less.

The above described tract being part of Bernice M. Bechtel's 117.61 acre tract.





V.M.S. 9884 McArthur Township July 12, 1976

The following described real estate situated in McArthur

Township, Logan County, Ohio and being part of Virginia Military

Survey 9884 and more particularly described as follows:

Beginning in the center of U.S. Route No. 68 at the southeast corner of Bernice M. Bechtel's 6.12 acre tract as described in deed record volume 340, page 18; thence with the south line of said tract S. 89°35' W. 582.1 feet to the southwest corner of said 6.12 acre tract; thence S. 89°38' W. 462.3 feet to an iron pipe; thence N. 3°16' W. 257.7 feet to an iron pipe; thence N. 87°10' E. 47.6 feet to an iron pipe; thence N. 3°31' W. 418.6 feet to a wood post; thence N. 4°11' W. 467.5 feet to an iron pipe; thence N. 87°37' E. 659.0 feet to an iron pipe in the west line of Otis Varner's 9.53 acre tract; thence with said west line and the west line of Charles H. Anderson's 0.47 acre tract s. 4°13' E. 531.0 feet to an iron pipe at the southwest corner of said 0.47 acre tract and the northwest corner of said Charles H. Anderson's 1.96 acre tract; thence with said Anderson's west line s. 18°04' W. 149.4 feet to an iron pipe at the southwest corner of said tract and the northwest corner of said Bernice M. Bechtel's 6.12 acre tract; thence S. 67°55' W. 596.0 feet; thence S. 3°31' E. 54.0 feet; thence S. 87°10' W. 47.8 feet; thence S. 3°16' E. 179.4 feet; thence N. 89°38' E. 437.6 feet to a point in the west



line of said 6.12 acre tract; thence parallel to and 40.0 feet north of the south line of said tract N. $89^{\circ}35'$ E. 584.0 feet to the center of said U.S. Route No. 68; thence with the centerline of said road S. $20^{\circ}26'$ W. 42.8 feet to the place of beginning.

Containing 12.77 acres more or less of which 0.54 acres are out of Bernice M. Bechtel's 6.12 acre tract and 12.23 acres are out of Bernice M. Bechtel's 16.00 acre tract.

N. 87°37'E. 659.0 l"pipe SET 1" PIPE. SET WOODS OTIS VARNER 9.53 Ac. 10 12.77 Ac. Tours of CHARLES H ANDERSON. 1,96 AC. YZ" PIPE JOUND SET BERNICE M. l" PIPE BECHTEL 3.77 Ad. 5.58 Ac. 462.3 1" Pipe 5.89035 W 582.1 SET BECHTEL SURVEY V.M.S. 9884 MCARTHUR TOWNSHIP INDEXED ON MAP 5809 2P LOCAN COUNTY, OHIO SEPTEMBER 20, 1975 DAN L. DODSON SLALE 1" = 200' REE, SURVEYOR 1270 BELLETONTAINE, O. DEVISED 7-12-76 D.L.D.

Jacobski to X to 10 Mar to an

2/

Tuttle Survey Mc Arthur Township 8.08 Acres May 1954

The following described land in Mc Arthur Township, Logan County Ohio, and being in V.M.S. 9884

Beginning in the center of State Highway Number 226 (U. S. Route Number 68) and being the road from Bellefontaine to Kenton and being at the S.E. corner of Joseph P. Anderson's ten acre tract and said beginning point also being stetion 99 plus 62.25 of said State Road as shown on Logan County Engineer's Road Plans L = I8 Page 4 thence with the south side of said Anderson ten acre tract N. 8I = 06 W. 585.8 feet to an iron pipe at the north side of a six inch wood post thence with the present fence line S. I7 = 56 W. 672.3 feet to a wood post thence with the present fence at the north side of a driveway N. 89 = 23 E. 582.I feet to the center of said State Highway thence with the center of said State Highway N. 20 = 26 E. 580.2 feet to the place of beginning said tract containing 8.08 acres also to have the use of a driveway twenty feet wide /// **Ippe // *

E.K.Core, Logan County Engineer.



an Usyland