


Sta Dat		+ Gazslin 49 49 55
P.C.		
(500) 10-03.4	14.12 74	8 . 19 10 10 14.120 8/w
4-03	39.98 8+	9 37
19 05 10-02	11 94,	CONTRACTOR OF THE PROPERTY OF
179 05 10-02	5 10 7	
16-00-4	6 "	130
19-00-1	167	PI-Hub I D= 16000
21-59-4	15 " 14-1	0
24-59-1.	5 " 15-16	
26-02-3	0 14,12 . P.T.	100.00
20.00	3	130
12 3. 18 22 1		
0000	3,7	2 0 0 0 0
0 0		1 2 2 a 8 a 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
14 0 9 10	311008/2	2:00:
	000	100
70.0	D DEXED ON MAP	
	4451	





Project No. 22-200 November 04, 2022

LEGAL DESCRIPTION PPN 36-006-00-00-022-00 "Parcel D" Richland Township, Ohio

Situated in the Township of Richland, County of Logan, State of Ohio, being part Virginia Military Survey 13393, all of Tract D in Survey No. 2 as designated on a return of survey of State Lands in and around the Lewistown Reservoir commenced April 6, 1875 by M.H. McCormick and all of a 3.000 deed acre parcel of land known as Logan County Auditor's Parcel No. 36-006-00-00-022-000 now or formerly owned by Premier Properties, a Florida General Partnership as recorded in Official Record 116, Page 978 (part of deed Parcel IV, Tract D) of Logan County Deed Records and being more completely described as follows:

Commencing at a 4 x 4-inch stone in a monument box found at the southwesterly corner said Survey 13393; thence North 6° 09' 35" West along an easterly line of said Survey 13393, 3339.27 feet to a point at an intersection of said easterly of line of Survey 13393 with the natural shoreline of Indian Lake and being the **PLACE OF BEGINNING** for the parcel herein described;

thence meandering along the natural shoreline of Indian Lake the following 13 courses (Course No. 1 through Course No. 13):

Course No. 1: thence South 71° 39' 33" West, 75.13 feet, to a point;

Course No. 2: thence North 73° 32' 17" West, 124.82 feet, to a point;

Course No. 3: thence North 11° 25' 48" West, 68.54 feet, to a point;

Course No. 4: thence North 15° 04' 12" East, 50.56 feet, to a point witnessed by an iron pin set North 79° 53' 20" East, 18.58 feet;

Course No. 5: thence North 38° 58' 19" East, 48.51 feet, to a point:

Course No. 6: thence North 07° 49' 43" East, 43.32 feet, to a point:

Course No. 7: thence North 17° 33' 44" West, 48.56 feet, to a point;

Course No. 8: thence North 02° 04' 40" East, 56.08 feet, to a point witnessed by an iron pin set South 79° 36' 50" East 8.23 feet;

Course No. 9: thence North 02° 31' 07" East, 94.92 feet, to a point;



Project No. 22-200 November 04, 2022

> LEGAL DESCRIPTION PPN 36-006-00-00-022-00 "Parcel D" Richland Township, Ohio

Course No. 10: thence North 09° 23' 58" West, 55.32 feet, to a point witnessed by an iron pin North 78° 03' 11" East 13.25 feet;

Course No. 11: thence North 07° 34' 13" East, 61.65 feet, to a point;

Course No. 12: thence North 46° 30' 51" East, 71.26 feet, to a point;

Course No. 13: thence North 46° 26' 45" East, 64.03 feet to an iron pin set on an east line of said Survey 13393;

Course No. 14: thence South 06° 09' 35" East, along an east line of said Survey 13393, passing over an iron pin set at 592.00 feet, a total of 617.94 feet, to the PLACE OF BEGINNING, containing 1.898 acres, more or less, but subject to all highways, covenants, and easements of legal record as surveyed in November 2022 by Kyle R. Danals, Registered Professional Land Surveyor No. 8704 on behalf of McSteen Land Surveyors under Project No. 22-200,

Bearings are based on an easterly line of Virginia Military Survey 13393 observed as North 6° 09' 35" West between monument found per the Ohio State Plane Coordinates System, North Zone(3401), NAD83 (2011), 2010.0 Epoch, as derived from GNSS Observations per the ODOT CORS/VRS Real Time Network. Distances are given in feet and decimal parts thereof. All iron pins shown as set are 30" long 5/8" rebar with an identification cap stamped "McSTEEN CA 02236".

Kyle R Danals

Registered Professional Land Surveyor No. 8704

KYLE R. DANALS 8704


KYLE R. DANALS 8704

KYLE R. DANALS 8704

NATURAL SHORELINE OF INDIAN LAKE AS SURVEYED SEPTEMBER 2022 STATE OF OHIO VOL. 36, PG. 573 L.C.D.R. "PARCEL D" PPN 36-006-00-00-022-000 PREMIER PROPERTIES, A FLORIDA GENERAL PARTNERSHIP VOL. 116, PG. 978 L.C.D.R. 1.898 ACRES (CALC.) 3.000 ACRES (REC. ORIGINAL SURVEY) 2.900 ACRES (REC. DEED) "TRACT D" IN SURVEY NO. 2 AS DESIGNATED ON A RETURN OF SURVEY OF STATE LANDS IN AND AROUND THE LEWISTOWN RESERVOIR COMMENCED APRIL 6, 1875 BY M.H. MCCORMICK (PART OF PARCEL VI, TRACT D) NATURAL SHORELINE PLACE OF OF INDIAN LAKE BEGINNIN AS SURVEYED SEPTEMBER 2022 124.82 OBS. & USED POINT OF COMMENCEMEN MAG NAIL FD. 0.43' NORTHERLY 0.49' NORTHERLY OF CENTERLINE COUNTY HIGHWAY 254 (60') OF CENTERLINE V.M.S. NO. 12278-12311 T 4" X 4" STONE V.M.S. NO. 9969 IN MON. BOX FD. & USED V.M.S. V.M.S. NO. 13393

V.M.S. NO. 9968





LEGEND

- (a) 5/8" DIAMETER X 30" LONG REBAR WITH "McSTEEN CA 02236" ID CAP SET
- MAG NAIL FOUND AS NOTED
- MONUMENT BOX FOUND AS NOTED PIPE FOUND AS NOTED
- RAILROAD SPIKE FOUND AS NOTED
- CENTERLINE
- R/W RIGHT-OF-WAY
- CALC. CALCULATED DISTANCE OR ANGLE
- REC. RECORD DISTANCE OR ANGLE
- OBS. OBSERVED DISTANCE OR ANGLE
- FD. FOUND
- MON. MONUMENT
- L.C.M.R. LOGAN COUNTY MAP RECORDS
- L.C.D.R. LOGAN COUNTY DEED RECORDS
- L.C.E.R. LOGAN COUNTY ENGINEER RECORDS O.D.O.T. OHIO DEPARTMENT OF TRANSPORTATION
- O.D.N.R. OHIO DEPARTMENT OF NATURAL RESOURCES

COUNTY HIGHWAY 38 (60')

∼ TOWNSHIP ROAD 38 (40')

- V.M.S. VIRGINIA MILITARY SURVEY
- W.B.L. J.C. WONDER'S BASE LINE
- W.S.L. J.C. WONDER'S STATE LINE

BASIS OF BEARING

BEARINGS ARE BASED ON AN EASTERLY LINE OF VIRGINIA MILITARY SURVEY 13393 OBSERVED AS SOUTH 6' 09' 35" EAST BETWEEN MONUMENTS FOUND, PER THE OHIO STATE PLANE COORDINATES SYSTEM, NORTH ZONE (3401), NAD83 (2011), 2010.0 EPOCH, AS DERIVED FROM GNSS OBSERVATIONS PER THE O.D.O.T. CORS/VRS RTN (REAL-TIME-NETWORK).

LINE DATA

LINE	BEARING	DISTANCE
L1	S 71'39'33" W	75.13' OBS. & USED
L2	N 11°25'48" W	68.54' OBS. & USED
L3	N 15'04'12" E	50.56' OBS. & USED
L4	N 38°58'19" E	48.51' OBS. & USED
L5	N 7°49'43" E	43.32' OBS. & USED
L6	N 17*33'44" W	48.56' OBS. & USED
L7	N 2'04'40" E	56.08' OBS. & USED
L8	N 2'31'07" E	94.92' OBS. & USED
L9	N 9°23'58" W	55.32' OBS. & USED
L10	N 7°34'13" E	61.65' OBS. & USED
L11	N 46°30'51" E	71.26' OBS. & USED
L12	N 46°26'45" E	64.03' OBS. & USED
L13	N 79*53'20" E	18.58'
L14	N 6°09'35" W	25.94'
L15	S 79*36'50" E	8.23'
L16	N 78'03'11" E	13.25'

RR SPIKE FD.

OF CENTERLINE

0.27 NORTHERLY

BOUNDARY SURVEY

THE TRINITY GROUP AT HER REALTORS

KNOWN AS BEING PART OF VIRGINIA MILITARY SURVEY 13393, AND BEING ALL OF "TRACT D" IN SURVEY NO. 2 AS DESIGNATED ON A RETURN OF SURVEY OF STATE LANDS IN AND AROUND THE LEWISTOWN RESERVOIR COMMENCED APRIL 6, 1875 BY M.H. MCCORMICK, NOW SITUATED IN

> TOWNSHIP OF RICHLAND COUNTY OF LOGAN - STATE OF OHIO



THIS SURVEY IS A BOUNDARY SURVEY PREPARED IN ACCORDANCE WITH CHAPTER 4733-37, OHIO ADMINISTRATIVE CODE. DISTANCES ARE GIVEN IN FEET AND DECIMAL PARTS THEREOF. ALL IRON PINS SHOWN AS SET ARE 30" LONG 5/8" REBAR WITH AN IDENTIFICATION CAP STAMPED "MCSTEEN CA 02236".

JOB NO.: 22-200 FIELD DATE: SEPTEMBER 30, 2022 SURVEY DATE: NOVEMBER 03, 2022 DRAWN BY: HKS



SURVEY REFERENCES

- ORIGINAL VIRGINIA MILITARY SURVEYS 9969, 10503, 12278 & 12311, AND 13393 L.C.E.R. - SURVEY NO. 2 OF TRACTS B, C, & D AS DESIGNATED ON A RETURN OF SURVEY OF STATE LANDS IN AND AROUND THE LEWISTOWN RESERVOIR COMMENCED APRIL 6, 1875 BY M.H. MCCORMICK SURVEY & PART OF R-FILE 6793 L.C.E.R. SURVEY NO. 16 OF SCOTT ISLAND AS DESIGNATED ON A RETURN OF SURVEY OF STATE LANDS IN AND AROUND THE LEWISTOWN RESERVOIR COMMENCED APRIL 6, 1875 BY M.H. MCCORMICK SURVEY & PART OF R-FILE 6793 L.C.E.R. - PLAT OF SURVEY AND DIVISION OF VIRGINIA MILITARY SURVEYS NO. 12278 AND 12311, PLAT BOOK A, PAGE 1 L.C.M.R. FERNWOOD SUBDIVISION, PLAT CABINET A, SLIDE179 L.C.M.R.

FERNWOOD MOBILE VILLAGE NO. 1, PLAT CABINET A, SLIDE 513 L.C.M.R. - FERNWOOD NUMBER FOUR, PLAT CABINET A. SLIDE 329 L.C.M.R.

- FERNWOOD NUMBER FIVE PLAT CABINET A, SLIDE 385 L.C.M.R. FERNWOOD NUMBER TWO, PLAT CABINET A, SLIDE 261 L.C.M.R. - LONG ISLAND SHORES NO. 2, PLAT CABINET B, SLIDE 22-A L.C.M.R.

NORTH FORK SUBDIVISION, PLAT CABINET A, SLIDE 497 L.C.M.R. - NORTH FORK SUBDIVISION NO. 2, PLAT CABINET A, SLIDE 519 L.C.M.R. LONGVIEW COVE AT INDIAN LAKE, PLAT CABINET B, SLIDE 125-B L.C.M.R. MAP OF INDIAN LAKE SURVEY BY J.C. WONDERS DRAWN BY C.W. MILLER DATED 1924 O.D.N.R. RECORDS

WONDERS LINE, AMMONS & WREN PROPERTIES, SURVEY BY OWEN K. SHIRK DATED JUNE 1963 O.D.N.R. RECORDS WONDERS LINE, WREN & LACHER PROPERTIES, SURVEY BY OWEN K. SHIRK DATED JUNE 1963 O.D.N.R. RECORDS

- WONDERS LINE, LACHER PROPERTY, SURVEY BY OWEEN K. SHIRK DATED JUNE 1963 - RETRACEMENT SURVEY OF LCTS 1, 2 & 81-87 FERNWOOD SUBDIVISION OF LONG ISLAND BY JEFFREY LEE DATED AUGUST 19, 1996 & PART OF R-FILE 6225 L.C.E.R. RETRACEMENT SURVEY OF LOTS 149—156 FERNWOOD NUMBER 2 BY JEFFREY I. LEE DATED AUGUST 16, 1996 R—FILE 9091 L.C.E.R. SURVEY OF THREE TRACTS OUT OF THE JAMES P. BACH ORIGINAL 83-1/4 ACRES TRACT BY JEFFREY I. LEE DATED OCTOBER 22,

2001 & PART OF R-FILES 0163 & 0977 L.C.E.R. - PLAT OF SURVEY IN VIRGINIA MILITARY SURVEY 10503 BY GEORGE A. BLACKBURN DATED MAY 18, 2008 & PART OF R-FILE 0977 RETRACEMENT SURVEY OF THE GINA A. GUILLIANO 17.94 ACRE TRACT, 3.00 ACRE TRACT, 7.20 ACRE TRACT AND 0.92 ACRE TRACT BY JEFFREY I. LEE DATED MAY 23, 2006 & PART OF R-FILE 3870 L.C.E.R. - SURVEY FOR JOSEPH EWING, J.K. ELDER, JAMES M. BENNETT, & ARTHUR RENICK ESTABLISHING THE LINE BETWEEN LANDS OWNED

THEREBY. SURVEY BOOK C. PAGES 302-303 L.C.E.R. FIELD NOTES OF THE LEWISTOWN RESERVOIR SURVEY MADE BY J.C. WONDERS, UNDER THE DIRECTION OF THE OHIO CANAL COMMISSION 1892 L.C.E.R. BOUNDARY LINE AGREEMENT BETWEEN EVERETT AMMONS AND THE STATE OF OHIO BY ROBERT L. SNELLER DATED JULY 15, 1999 &

PART OF R-FILE 1622 L.C.E.R. AMMONS SURVEY DATED NOVEMBER 1934 & PART OF R-FILE 1622 L.C.E.R. - RETRACEMENT SURVEY OF THE O'CONNOR FARMS, INC. 62.40 TRACT BY WILLIAM K. BRUCE DATED JANUARY 29, 2008 & PART R–FILE 8748–A L.C.E.R.

KOENIG SURVEY BY DANIEL E. GILBERT DATED SEPTEMBER 16, 1978 & PART OF R-FILE 6225 L.C.E.R. - PLAT OF SURVEY IN VIRGINIA MILITARY SURVEY 12278-12311 BY GEORGE A. BLACKBURN DATED JANUARY 28, 2014 & PART OF R-FILE 5170 L.C.E.R. RESURVEY OF PLAT OF "TOP-WATER-LINE" LEWISTOWN RESERVOIR, ESTABLISHED 1875 BY H.C. MOORE & JOHN W. ERWIN IN SURVEY

12278 & 12311 BY H.E. WHITLOCK & S.A. BUCHANAN DATE DECEMBER 1923 & PART OF R-FILE 5170 L.C.E.R. ABSTRACT MAP OF INDIAN LAKE DATED MARCH 31, 1924 & PART OF R-FILE 5170 L.C.E.R. - PLAT OF SURVEY IN VIRGINIA MILITARY SURVEYS 9987 AND 10503 BY GEORGE A. BLACKBURN DATED JUNE 20, 2014 & PART OF R-FILE 9088 L.C.E.R. - A SURVEY OF 3 TRACTS OUT OF THE PREMIER PROPERTIES, A FLORIDA GENERAL PARTNERSHIP ORIGINAL 26.12 ACRE TRACT BY

JEFFREY I. LEE DATED DECEMBER 22, 2003 & PART OF R-FILE 9132-A L.C.E.R. SURVEY FOR WAYNE DETLING BY CLAYTON T. BACON DATED JUNE 25, 2007 & PART OF R-FILE 9263 L.C.E.R. - FIELD BOOK 642, PAGE 223 L.C.E.R.

 FIELD BOOK 660, PAGE LONG ISLAND ROAD, ROAD NO. 268 PLANS DATED 1936 & PART OF X-FILE 268 L.C.E.R. LETTER FROM ATTORNEY GENERAL ANTHONY J. CELEBREZZE, JR TO ROBERT B. MACDONALD, JR., OF THOMPSON, DUNLAP, HEYDINGER, O'CONNOR & MACDONALD REGARDING SPITLER OWNERSHIP AT ORCHARD ISLAND DATED FEBRUARY 20, 1987 - LOGAN COUNTY COMMON PLEAS COURT CASE: "RIPARIAN RIGHTS ON ORCHARD ISLAND," BUSCH V. WILGUS, 24 OHIO N.P/ (N.S.) 209

- THIRTY-SIXTH ANNUAL REPORT OF THE BOARD OF PUBLIC WORKS TO GOVERNOR OF THE STATE OF OHIO, FOR THE YEAR 1874 - LICKIING COUNTY CIRCUIT COURT CASE "TITLE TO THE BANK OF A CANAL RESERVOIR" COLUMBUS, NEWARK & ZANESVILLE ELECTRIC RAILWAY CO. V. NELSON, 14 OHIO C.C. (N.S.) 129 (1910)

REPORT OF THE AUDITOR OF STATE RELÀTING TO THE PURCHASE OF LANDS IN THE LEWISTOWN RESERVOIR, DATED FEBRUARY 17, 1877: OHIO HISTORY CONNECTION. - SA 2556. UNIT 20. INDIAN LAKE MAP BOOK #1.LEWISTOWN RESERVOIR SURVEY OF 1892 BY J.C. WONDERS DATED JANUARY 31, 1898: OHIO HISTORY CONNECTION.

- LOG-273-0.02 RIGHT OF WAY PLANS DATED 9-25-2017 O.D.O.T. DISTRICT 7 RECORDS. LOGAN COUNTY COMMISSIONERS JOURNAL Z, PAGE 94

 LOGAN COUNTY DEEDS OF RECORD. LOGAN COUNTY TAX MAPS.

INDEXED ON MAP

Job No.: 22–200 © 2022 McSteen & Associates, Inc.