

Ohio Potland Cement

& Mfg Co. May 12, 1890

Line A
Start at stake in Job, J.
Pugh's north line -
(east line of his land)
S 38° 9.87 to stake.

Line B. S 73° W 93 lvs to
Maple tree 12"

Line C. S 6 1/2° E 17.26
to stake in line of Pugh &
M^e Adams -

With said line -

Line D. N 83 3/4° E 1.00

Line E on M^e Adams
S 15° W 23.31 1/2

Line F on M^e Adams -
S 70 1/4° W 32.6 to stake -

Line G - on M^e Adams -
S 16 1/2° W 15.43

Line H. S 2° W 2.87 + 2.25
to line of M^e Adams &
Corwin -

Witness Ash 15" N 51° W 37' 10"

Line I. on Corwin (M^e)
S 6 1/2° W 26.00 - 2 = 26.48

See Book C
Page 218
note dates
and different

(458)

INDEXED ON MAP

Line J. — on Corwin road —
S 84° E 2.00 stake.

Line K. on Oliver Corwin
S 2 1/2° E 10.59

Line L. S 3° E 6.06
3.24

9.50
stake

Line M. S 81 1/2° E 6.56
to stake —

Line N. S 5 3/4° E 4.36
to line Corwin & Arbergast

Line O. in ditch on south side
of Corwin S 83 1/2° E 7.70 to
stake in old Cham Bushcroft
(at 1660' now when this is
the dist to use in computing)

Line P. — with ^{new} chain of
Bushcroft S 82 1/2° E 4.39
old chain runs into new at
this point.

Line Q. — with ^{new} chain of
Bushcroft — S 83 1/4° E 3.17

Line R. with ^{new} chain of Bush
S 84 1/2° E 2.48

Line S. — with chain of Bushcroft
S 84 1/2° E 3.28

Line L - with Rush -
South - = 52

Line U - with Rush -
N 2 1/2 W 2.98

Line V - with Rush -
to Coorwin road -
N 1/4 W 573

Line H - from center of
Bridge on Coorwin road
to stake at end of line J.
N 83 3/4 E 8.53

Line X -
Set on center of Bridge
(look out for attraction)
N 2 1/2 E
26.53 line of corner

Line Z - on line of corner
N M Adams at 1/4 corner
line of old claim -
N 83 3/4 E 12.00 to east line
corner land - (line H)

Line 27 - with line of
M Adams & Pugh from
end of line C. -
S 82 W 19.34 to line of
M Adams 70 acres

(439)

INDEXED ON MAP

Line east part of B.P.C. on
Pugh

S 7 E



Line 28 - from stake as
set by our ~~map~~ ~~map~~ to
B.P.C. land as set by our
1833 4.19 set stake -

52
Line 29 - to line of
Job 7. & Dilas Pugh -
N 6 1/2 E 394
Hit Blue Ash 6" S 149 1/2 N 150th

Line 20 - on line
Sills & Job 7. 514 E
8.12 to begin -

Line 31 - from center of
ditch at bridge of
Buckley Cement Co.
N 10 W 7.20 1/2 ch

Line 32 from trough of
Buckley Cement Co
S 29 W 49.52 1/2 ch

438

INDEXED ON MAP

Portland Cement Co -
1893 - April 4 -

Line A -

start at stake in line McAdams

& Pugh -

with black sapling 2" S 88° E 1/2 W 5 links

S 1 1/2° E 14.00 to stake in line

Pruch McAdams - set stake

with Hick elm 4" S 82 1/2° W 31 links

Line B - with Pugh's line

S 84 3/4° W set to right 11'

to stake on north bank of small
ditch and on east bank of

Bushcreek 27.54

with Crooked Ash 12" S 5 3/4° E 83 links

Line "C" N 85 1/4° W 23.73

to SW 1/2 of McAdams

52
See McAdams } ch co -
Lucius Bennett

Line "D" from SW 1/4 McAdams

N 2° E 69 links to stake

with Bur oak 30" N 77 1/2° W 6 links

Line "E" to NW 1/4 Sutherland
old stake N 25 1/4° E 1.02 1/2

Line "F" on McAdams west line

N 29 1/2° E 47.32 set stake

east of pool

Line "G" with track of B.P.C.

S 10 3/4° E 6.25 to center of

Bushcreek at bridge

438

INDEXED ON

Line "H" 55 1/2 & 25.07
with center of Bushonk -
to line of McAdams & Pugh

Line "J" 182 3/4 & 23.36 to begin

April 26 - 1893 -

Ran from center of Bridge at
Bushonk on Corwin Road -
184 & ^{11.33}~~7.33~~ set stake in
road with elm 30" 516 3/4 &
48' 9"

Line "B" on Oliver Corwin
57 & at 8.15 set stake -
15.40 set stake with
swamp ash 14" 125 & 4' 9"

Line C. 545 & 11.68
to center of ditch line of
Corwin & Arbogast - set stake 4'
north of center with: elm 15"
140 3/4 & 21' 3"

Line D. measured with
ditch to end of old line at -

518
16.65
21.83

J. W. Corwin

191 & 26.13 to line Road
McAdams with - bearing 200
Snag 18" 141 & 11.12
and 237 east of old point
at this line

2.37
12.40
14.77

A 28th E to NMEA
31.24 to stake set at
end of line "A" April 4.93

INDICATED ON MAP
(438)

$$\frac{100}{232} \times \frac{26}{55}$$

6

at 58 chains

Came out 3/4 mile east of
stone set formerly put
by myself. Set stone in
south side of road 6/8
south of center by
proportioning from the
Vail land & also as
witnessed by Ed Baker
stump -

Witness to stone

Eye 3" N 16 3/4 E 59' 6"

Elm 2" N 22 1/2 W 56'

429

Summit Woods Survey 75

Nov. 24, 1886

Summit Wood Survey

Line of old fence

West of Mill on

Rutcher land S 6 1/2 E

Sh. Co. } Arb. Pugh

Ed. Hitchman

Line A. West line of

Mail Land from McAdams

S 6 1/2 E

pass stake 6 rods from
Big Run Oak

at 8.01

at 12.00 set stake

Witness

at 13.84 set stake

Witness Elm 10" S 2 1/2 E

43' 8" * see next page

430

Continued same line
to 16.84-

Measure same line as
before N $33\frac{1}{2}$ E 61' 9"

Line B.

S $83\frac{1}{2}$ W 247 to stake.

Line C. S $6\frac{1}{2}$ E - 705

To stake set for line of
Nespor's. South side

Nespor's Rutherford fence
S $22\frac{1}{2}$ W right angle

S $7\frac{1}{2}$ E

Line D. Line of Nespor
& Rutherford S $83\frac{1}{2}$ W

475 to stake

Line E across Nespor

S $6\frac{1}{2}$ E set stake for
line of Nespor & Ed
Kitchin at 400-

set stake at 1009 $\frac{1}{2}$
on Kitchin

438

Nov. 24, 1888

On Lease skipped
Ed Kitchan line of N. & L.
Set stake in fence just
east of standing corn
S 6 1/2 E 15.73 1/2

Line K.

N 83 1/2 E 5.58 1/2

Set stake witness

Crooked. Left. Maple 16"

174 E 50 ft. (82 1/2 ft)

Burr Oak 12" S 31 E 73 ft.

Line L. S 6 1/2 E 10.39

Set stake in line between

Steve & Andy Lease

With Double water elm 18"

N 82 W 26 ft.

Line M. S 83 1/2 E

7.14 < in Cornfield

Witness Burr Oak 24" near

Ash S 56 3/4 E surrounded
by stone pile

Line N. S 6 1/2 E 7.16

Set stake in line of
Lease and Dick Kitchan

Nov. 26 / 1888

Bearing of Survey Line
at Hook Station

S 9 1/2° E

Bearing of Scott Line
in Dick Ritchie woods

N 6 3/4° W

Line A. from ^{"x"} stake in
Lester & Ritchie lines
with line N 8 3/4° E 0.84

Line B. S 6 3/4° E 5.35 1/2

to stake in stubble field

Line C. N 83 1/2° E

7.05 to stake in Swamp
scrub oak 2 ft south of
line produced east 48 ft.
dint (N 80 1/2° E)

Line D. S 6 3/4° E

at 4.29 oak stump in
line at 10.29 stake
Witness soft maple 12"
N 23° E 6 ft. 10"

Line E. 8 1/2° E 12.34

to forked tree (Ash) 18"
cross cornfield & swamp
to pinfield

Line F. S 9 1/2° E 16.98

to stake near corn shock

Line B.

S 69° 48' E 115 2 1/2

to stake on West bank

A inlet to Kushanack in

Pitman: Willow trees 1/2"

S 40° 1/2 W 500 ft distant

Ran from Peter Dick

Kitchin south line on

line of Kitchin & Arboquet

at 11.95 stake end of "G."

N 8 1/2 W at 19.00

set stake at Dick

Kitchin fence

430

19.00
11.95
7.05

Nov. 25, 1890
 N 83° E line down Dick
 set south 15'
 " north 25'
 line over 12' south
 corner out 19' north of
 old fence row.
 at 1/2 center of old
 ditch

From 25.750
 from end of L.
 N83°E 5.500 set stake
 in line of old Chan.

from end of "K"
 N83°E 7.22 old Chan

From stake line Lease
 and Kitchen N84°E
 12.92

430

From stake in Kitchen
 land
 S6 1/2°E $\frac{2.28}{2.28}$

Line B. N83 1/2°E
 Set stake at 200
 at 12.62 stake in
 Chan creek

Line C. from 7.55 of B
 S6 1/2°E set stake at
 8.75

8.75) 2000 (2.28

17.50

2.500

12.20

7.500

3.500

8.75

35) 32000
 31500

500

3.500

1.000

745
 2.28 1/2
 8.16 1/2

Line "D"
 588 1/2 W set stake
 at at 220 1/2 for <
 to 2 across allowed

Kitchen $\begin{matrix} 405 \\ 2.78 1/2 \\ \hline 7.71 1/2 \end{matrix}$
 set stake at 405
 Hillman W.O. 4" N 88 1/2 W
 50' 3" dist **E F**

Line "E"
 3 1/2 E 3.59 1/2 to
 stake in fence line
 Kitchen & Lane
 at 2.20 east of stake
 set for grave at their
 north line

438

Measured 228 1/2
 from stake set at 750
 of Line B. for 5 1/2
 of Kitchen 2 across
 Hillman Burr Oak 4"
 238 1/2 E 2.59 1/2 ch dist
E

Run from stake in line of
 Meeker & Pritchard N 83° E
 19.10 to center old
 ditch.

Dec. 4, 1888

Run from stake in line
 of Meeker & Southern land
 N 83° E 15.46 center of
 old creek -
 at 17.87 new channel.

From end of line "A"
 N 83½° E 15.61 to char
 of old creek.

Jacob Kirkpatrick } ch. cr.
 Zim Willner }

From Beginning of A. at
 line between Perthland &
 McAdams S 86¼° E
 set south 25'
 at 10.00 set north 25'
 set south 20' on line
 at 19.56 old creek

From 2000 of this line
 on McAdams East side
 of new ditch
 N 38¾° E
 at 5.83 angle
 N 88½° E at 8.43 line
 McAdams & Pugh

Pugh's Land

Line A. from south line
center of New Ditch
set stake on East Bank

Set end of section 30
N 7 1/2 W

3.2' east of Elm Tree

Wooded por. of
land - at 24.27

Line B. from tree

N 7 1/2 E 1.32

Metres. Dye. 6' N 12 E 10'

G.

Line C. N 82 3/4 E 7.00 set
stake in field

430

25.62

6.00

20.62 (19.00)

Line D. S 7 1/4 E 18.77 1/2

Set stake on West Stamp
18' diameter

Line E.

S 82 3/4 W

at 4.13 from Walnut

" 7.39 Creek house

3.00

4.39

at 4.29 set stake

Set " 8" H 82 3/4 E 26.00

Line F. S 7 1/4 E

at 6.76 from house

McCabe's & Pugh's

Line G. S 82 1/2 W

3.00
8.00 to center of Ditch

Cornwall Land

Line 5, 1100
 Run from bridge at road
 8' west of center

stakes every 250 ch
 (A 9' E) from bridge local

attraction

Same line along creek

1519 1/2 E
 at 25.49 old ditch corner

near end of Cornwall land

at 2813 stake in center

of ditch line of Ed Kitchin
 and Harper

at 3013

at 370 ch from bridge line

of Lewis & Kitchin boundary

430

Line 0 on bridge 3 ch apart

0 - 188 1/2 W 32 + 12 44

1 " 98 + 12 110

2 " 164 + 12 176

3 " 230 + 12 242

4 " 296 + 12 308

5 " 362 + 12 378

6 " 428 + 12 444

7 " 494 + 12 510

8 " 560 + 12 576

9 " 626 + 12 642

10 " 692 + 12 708

11 " 758 + 12 774

12 " 824 + 12 840

13 " 890 + 12 906

14 " 956 + 12 972

15 " 1022 + 12 1038

16 " 1088 + 12 1104

17 " 1154 + 12 1170

18 " 1220 + 12 1236

19 " 1286 + 12 1302

20 " 1352 + 12 1368

65

On Rutherfordland
at Derrick Dec 6/1881

Line A. first survey
(S 51° E 3') S 6 1/2 E
at 183 set stake

Line B. from stake
N 76 1/2 W 5.41 set stake

Line C. N 30 E 2.64
to stake in line of
Rutherfordland and Hazardline

Line D. with said line
N 86 1/2 E 0.37 to
line of M^o Adams

430

Line E. with M^o Adams
line S 30 W
passing ^{west side} Burr oak 24'
at 104

at 183 set stake S 112
M^o Adams St.
Hit Burr oak N 30 E
79 lks - dist

Line F. with line of
M^o Adams & Rutherfordland
S 88 E to stake
Beginning of A.
432