

Titus survey

course	Dist Bearing	sine	Lat. (cosine)		Dept (S-e)		D.M.P.	Area (R.M.P.) (lat)	
			N +	S -	E +	W -		N +	S -
.0872	1576 N. 85-0 E	.9962	137.0 137.4		1570.0		1570.0	215,090	
.0960	603 S 5-09 E	.0898		630.5	56.8		3196.8		2,015,582
.0848	1450 S 85-08 W	.9964		123.0		1444.8	1808.8		222,482
.9592	643 N 16-26 W	.2829	616.5 616.8			182.0 181.9	182.0	112203	
			753.5 754.2	753.5	1626.8	1626.8 1626.7		327,293	2,238,064 327,292
								2	1,910,771
								4356.0	955,385
									21,9326
									21,93 Area

(1612)

1934

Titus Survey.

The following described land in V.M.S. 12474 Rushcreek Township, Logan County Ohio.

Beginning at the intersection of County Road No. 12 (Walnut Grove and Rushsylvania Pike) with Road No.20(Horton Pike) thence with the center of Road No.20 N.85° 0' E. 1576 feet; thence S.5° 09' E. 633 feet to a stone in J.D. Bray's North line ^{thence} S. 85° 08' W. 1450 feet to center of road No.12; thence with center of road No.12 N.16° 26' W. 643 feet to place of beginning, said tract containing 21.93 acres more or less and being the same tract as surveyed Sept. 1934 as shown in Logan County Survey Records, Book 549 Page 26.

INDEXED ON MAP

1612

ID

35