

FRYLING SURVEY DESCRIPTION #1

June, 1970

Being situated in Rushcreek Township, Logan County, Ohio; and being a part of V.M.S. #9955.

Beginning at a iron in the center of Township Road #110 that bears S 7° - 24° E 1675.5 feet from the intersection of the center of Township Road #110 with the north line of V.M.S. #9955. Said iron is also the southwest corner of a 31.25 acre tract. Thence with the center of Township Road #110 S 7° - 09° E 30.0 feet to a iron at the beginning point for this description.

Thence N 82° - 56° E 217.8 feet to an iron, passing thru an iron at 25.0 feet.

Thence S 7° - 09° E 100.0 feet to an iron.

Thence S 82° - 56° W 217.8 feet to an iron in the center of Township Road #110, passing thru an iron at 192.8 feet.

Thence with the center of Township Road #110 N 7° - 09° W 100.0 feet to the place of beginning.

Containing 0.50 of an acre more or less. Being surveyed from a 43.87 acre tract.

Owen K. Shirk

Surveyor 4271

1D-1

4698

INDEXED ON MAP

FRYLING SURVEY DESCRIPTION #2

June, 1970

Being situated in Rushcreek Township, Logan County, Ohio; and being a part of V.M.S. #9955.

Beginning at a iron in the center of Township Road #110 that bears S 7° - 24° E 1675.5 feet from the intersection of the center of Township Road #110 with the north line of V.M.S. #9955. Said iron is also the southwest corner of a 31.25 acre tract. Thence with the center of Township Road #110 S 7° - 09° E 130.0 feet to an iron at the beginning point for this description.

Thence N 82° - 56° E 217.8 feet to an iron, passing thru an iron at 25.0 feet.

Thence S 7° - 09° E 100.0 feet to an iron.

Thence S 82° - 56° W 217.8 feet to an iron in the center of Township Road #110, passing thru an iron at 192.8 feet.

Thence with the center of Township Road #110 N 7° - 09° W 100.0 feet to the place of beginning.

Containing 0.50 of an acre more or less. Being surveyed from a 43.87 acre tract.

Owen K. Shirk

Surveyor 4271

1D-2

4698

FRYLING SURVEY DESCRIPTION #3

June, 1970

Being situated in Rushcreek Township, Logan County, Ohio; and being a part of V.M.S. #9955.

Beginning at a iron in the center of Township Road #110 that bears S 7° - 24° E 1675.5 feet from the intersection of the center of Township Road #110 with the north line of V.M.S. #9955. Said iron is also the southwest corner of a 31.25 acre tract. Thence with the center of Township Road #110 S 7° - 09° E 230.0 feet to an iron at the beginning point for this description.

Thence N 82° - 56° E 217.8 feet to an iron, passing thru an iron at 25.0 feet.

Thence S 7° - 09° E 100.0 feet to an iron.

Thence S 82° - 56° W 217.8 feet to an iron in the center of Township Road #110, passing thru an iron at 192.8 feet.

Thence with the center of Township Road #110 N 7° - 09° W 100.0 feet to the place of beginning.

Containing 0.50 of an acre more or less. Being surveyed from a 43.87 acre tract.

Owen K. Shirk

Surveyor 4271

1D-3
4698

INDEXED ON MAP

FRYLING SURVEY DESCRIPTION #4

June, 1970

Being situated in Rushcreek Township, Logan County, Ohio; and being a part of V.M.S. #9955.

Beginning at an iron in the center of Township Road #110 that bears S 7° - 24° E 1675.5 feet from the intersection of the center of Township Road #110 with the north line of V.M.S. #9955. Said iron is also the southwest corner of a 31.25 acre tract. Thence with the center of Township Road #110 S 7° - 09° E 330.0 feet to an iron at the beginning point for this description.

Thence N 82° - 56° E 217.3 feet to an iron, passing thru an iron at 25.0 feet.

Thence S 7° - 09° E 100.0 feet to an iron.

Thence S 82° - 56° W 217.3 feet to an iron in the center of Township Road #110, passing thru an iron at 192.3 feet.

Thence with the center of Township Road #110 N 7° - 09° W 100.0 feet to the place of beginning.

Containing 0.50 of an acre more or less. Being surveyed from a 43.87 acre tract.

Owen K. Shirk

Surveyor 4271

1D-4

4698