T.C. Hubbell Surveying, Inc.



3755 TR 25 Ada, Ohio 45810 419-634-9516

DESCRIPTION Job # 1812 July 7, 1996 Revised: July 11, 1996

Being a parcel of land situated in Virginia Military Survey 9955 Rushcreek Township, Logan County, Ohio, being all of the Gerald W. Reese, etux's, 11.960 acre, 8.970 acre and 7.36 acre (28.29 acres total) tracts as described in O.R. Vol. 274, pg. 529 in the Logan County Recorders Office and being further described as follows:

Beginning at a railroad spike set on the north line of V.M.S. 9955 and the centerline of T.R. 40 (60' in width), this point being N.80°-00'-00" E., 2442.14 feet from a 5/8" iron pin found at the intersection of the centerline of T.R. 40 with the centerline of T.R. 110, this railroad spike set also being the northwest corner of the Gerald W. Reese etux's 28.29 acre tract as described in O.R. Vol. 274, pg. 529:

- (1) Thence N. 80°-00'-00" E., along the north line of V.M.S. 9955 and the centerline of T.R. 40, for 615.68 feet to a 1/2" iron pin set over a 3/4" iron pipe found 8" below the surface of said road-
- (2) Thence S. 10°-05'-26" E., along the west line of David A. Routt's 11.96 acre tract, (D.B. Vol. 332, pg. 785), for 2012.28 feet to a 1/2" by 30" iron pin with plasticap stamped "T.C.H. 5044" set, passing at 30.00 feet a 1/2" by 30" iron pin with cap set-.
- (3) Thence S. 80°-15'-12" W., along the north line of J. D. Amerline's 51 acre tract, (D.B. Vol. 347, pg. 127), for 619.49 feet to a 1" iron pin found-
- (4) Thence N. 090-58'-56" W., along the east lines of Stephen Myers 25.28 acre tract, (D.B. Vol. 350, pg. 819), and the Betty J. Kennedy's 60.57 acre tract, (O.R. Vol. 277, pg. 541), for 2009.54 feet to the point of beginning, passing at 1979.54 feet a 1/2" by 30" iron pin with cap set.

Containing in all 28.510 acres of land, 0.424 acres lying within the right of way of T.R. 40, subject however to all legal easements and rights of way.

Note; This plat and description prepared from an actual field survey, all bearings refer to the centerline of T.R. 40 and the north line of V.M.S. 9955 as being N. 80°-00'-00" E., said bearing being referred to in Gerald W. Reese, etux's 28.29 acre tract O.R. Vol.274, pg. 529.

Thomas C. Hubbell

Reg. Surveyor #5044




INDEXED ON MAP

T.C. Hubbell Surveying, Inc.




3755 TR 25 Ada, Ohio 45810 419-634-9516





THOMAS C. HUBBELL R.L.S. # 5044



RECID 9-26-05 SMY OK

Lee Surveying and Mapping Co., Inc.

Land Surveys . Topography . Subdivisions . Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444

1975 - 2005

30 YEARS OF EXCELLENCE KLINE AND HOUSER 5.002 ACRES

Lying in Virginia Military Survey 9955, Rushcreek Township, Logan County, Ohio.

Being out of the H. Kevin Kline and Ellenna M. Houser 28.510 acre tract as deeded and described in Official Record 762, Page 911 of the Logan County Records of Deeds and being more particularly described as follows:

Beginning at a 3/4 inch bolt found at the intersection of center-lines of Township Road 110, and Township Road 40 (60 feet wide).

THENCE, with the north line of Virginia Military Survey 9955 and the center-line of Township Road 40, N 79°-59'-18"E, a distance of 2442.01 feet to a railroad spike found at THE TRUE POINT OF BEGINNING.

THENCE, with the center-line of Township Road 40, N 80°-00′-00″E, a distance of 264.60 feet to a MAG nail set.

THENCE, S 9°-59'-19"E, a distance of 823.50 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 30.00 feet.

THENCE, S 80°-00'-00"W, a distance of 264.60 feet to a 5/8 inch iron rod set.

THENCE, with the east line of the Betty J. Kennedy 60.57 acre tract (O.R. 277, Pg. 541), N 9°-59'-19"W, a distance of 823.50 feet to the point of beginning.

Containing 5.002 acres of which 0.182 acre is within the highway right-of-way.

The basis for bearings is the center-line Township Road 40, being N 80°-00'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on September 19, 2005.

Description prepared by:

Jeffrey Lee


Professional Surveyor 6359

September 22, 2005

L-4118095

9052

ORIGINAL STAMP IN GREEN



INDEXED ON MAP 9052 2P



Lee Surveying and Mapping Co., Inc.

11-24-13

Land Surveys • Topography • Subdivisions • Construction Layout

117 N. Madriver St. Bellefontaine OH 43311



Phone: (937) 593-7335 Fax: (937) 593-7444 surveys@lsminc.us

PORTER, TRUSTEE 1.696 ACRES

Lying in Virginia Military Survey 9955, Rushcreek Township, Logan County, Ohio.

Being out of the Tamera I. Saylor, fka Tamera I. Porter, Trustee 60.57 acre tract as deeded and described in Official Record 1121, Page 910 of the Logan County Records of Deeds and being more particularly described as follows:

Commencing on a ¾ inch iron bolt found on the north line of Virginia Military Survey 9955 on the intersection of the center-lines of Township Road 110 and Township Road 40.

THENCE, with the north line of Virginia Military Survey 9955 and the center-line of Township Road 40 (60 feet wide), N 80°-00'-00"E, a distance of 1458.01 feet to a MAG nail set at the TRUE POINT OF BEGINNING.

THENCE, with the north line of Virginia Military Survey 9955 and the center-line of Township Road 40, N 80°-00'-00"E, a distance of 228.04 feet to a MAG nail set.

THENCE, S 05° -33'-58"E, a distance of 304.53 feet to a 5/8 inch iron rod set, passing a 5/8 inch iron rod set at 30.09 feet.

THENCE, S $84^{\circ}-50'-14"W$, a distance of 275.18 feet to a 5/8 inch iron rod set.

THENCE, N 03°-57'-28"E, a distance of 288.95 feet to the point of beginning, passing a 5/8 inch iron rod set at 258.04 feet.

Containing 1.696 acres, of which 0.159 acre is within the highway right-of-way.

Property is subject to any and all previous easements and rights-of-way of record.

The basis for bearings is the north line of Virginia Military Survey 9955, being N 80°-00'-00"E, and all other bearings are from angles and distances measured in a field survey by Lee Surveying and Mapping Co., Inc. on November 19, 2013

WILLIAM

K.

BRUCE

7437

GISTERE

ORIGINAL STAMP IN GREEN

Description prepared by:


Min L. Bru


William K. Bruce Professional Surveyor 7437

November 19, 2013

56451113

9052 3D






- 3/4 INCH IRON BOLT FOUND
- MAG NAIL SET
- 5/8 INCH IRON ROD SET WITH PLASTIC I.D. CAP STAMPED "LSM 7435"

OGAN COUNTY,

SURVEYED BY:



WILLIAM K. BRUCE
PROFESSIONAL SURVEYOR 7437
NOVEMBER 19, 2013

SURVEYING & MAPPING CO., INC. 117 North Madriver Street BELLEFONTAINE, OHIO 43311 COPYRIGHT 2013 BY:

(937) 593-7335 WWW.LSMINC.US surveys@lsminc.us

CALL TOLL FREE 800-362-2764

BEFORE YOU DIG

2 WORKING DAYS

9052 37