

SCARE: 1" = 50"

DRAWN BY J.P. V. 4-9-70


INDEXED ON MAP

DUFF TRAILER PARK Sec. 27 T-6 S. R-8 E. Stokes Township October 26, 1974

The following described real estate situated in Stokes Township,
Logan County, Ohio and being part of the northeast & of Section 27,
Town 6 South, Range 8 East of the First Principal Meridian and
more particularly described as follows:

Beginning at an iron bar in the center of Township Road No. 87 at the northeast corner of George E. Metz's 0.56 acre tract. said iron bar being Sta. 199+10 as shown in Logan County Engineers field book 572 page 39; thence with the centerline of said T.R. 87. N.88°43'E. 376.27 feet to the northwest corner of Lakeside Allotment as shown in Logan County Recorders Plat Book C. pages 52-53; thence with the west line of said allotment S.1°17'E. 890.20 feet to the southwest corner of lot no. 125; thence with the south line of said lot N.88°43'E. 80.00 feet to an iron pipe at the southeast corner of said lot and in the west line of Walnut Street; thence with the west line of said street S.1°17'E. 28.13 feet to a point in the north line State Street; thence with the north line of said State Street S.31°43'W. 360.00 feet; thence S.88°43'W. 246.07 feet to a point in the east line of Peter P. Zierolf's 19.44 acre tract; thence with said Zierolf's east line and the east line of George E. Metz's 0.56 acre tract N.1°57'W. 1220.25 feet to the place of beginning.

Containing 10.27 acres more or less.



IRON BAR -FOUND N. 88°43'E. 376.27 GEORGE E. METZ OAK 0.56 Ac. ESIDE OTMEN 10 M CIRCLE REE 0 0 11 0 NOTE: MAPLE PINE ASH STREET, OAK (IRCLE S & PINE CIRCLE ARE N PUBLIC ROADS 50 WIDE N 0 SEE CO. ENG. PLAN J-200 80.0 S.1917'E. CIRCLE ASH 28.13' 10.27 Ac. PETER P. ZIEROLF 19.44 Ac. Dx Pump 246.07 5.88°43'W DUFF SURVEY (TRAILER PARK) SEC. 27 7-65, 2-8E. STOKES TOWN SHIP DAN L. DODSON LOGAN COUNTY OHIO REG. SURVEYOR AZTO BELLEFONTAINE, O. OCTOBER 26, 1974 BK 21/3 SCALE 1" = 200' INDEXED ON MAP 4673

STA, 199+10

