EASEMENT DESCRIPTION

The following described real estate situated in the Township of Stokes,

County of Logan, State of Ohio and being a part of Lot No. 3 of Avondale

Park Allotment No. 1 as recorded in Plat Cabinet A Slide No. 241, Logan

County Recorder's Office, and being more particularly described as follows:

Beginning at an iron bar found at the northeast corner to Lot No. 3 and the northwest corner to Lot No. 4;

Thence with the line between Lot No. 3 and Lot No. 4, S. 2° 27.0' E. 56.30 feet to an iron bar set;

Thence S. 88° 00.6' W. 3.74 feet to an iron bar set;

Thence N. 2° 24.0' W. 22.93 feet to an iron bar set;

Thence S. 86° 09.0' W. 1.04 feet to an iron bar set;

Thence N. 2° 10.7' W. 35.00 feet to an iron bar set in the north line of Lot No. 3 and the south line of Maple Avenue;


Thence with the north line of Lot No. 3 and the south line of Maple Avenue, S. 72° 59.0' E. 4.87 feet to the place of beginning, containing 245.49 square feet or 0.0056 Acres, more or less.

I hereby certify that this is a true and accurate description of a survey made by me on September 27, 1984.

Daniel E. Gilbert, P.

Reg. Sur. No. 5402 105 Organ Street

Bellefontaine, Ohio 43311



KAVY SURVEY Recieved 4-14-39

The following described real estate situated in the Township of Stokes, County of Logan, State of Ohio and being a part of Virginia Military Survye No. 12276 and being land in question of ownership and being more particularly described as follows:

Beginning for reference at a $1\frac{1}{2}$ inch Iron Pipe found at the southwest corner to Lot No. 1 of Avondale Park Allotment No. 1 and in the east line of Lake Drive;

Thence with the south line of Lots No. 1 and 2 of Avondale Park Allotment No. 1, S. 73° 32' E. 75.88 feet to a point in the west line of Lot No. 46-361 of the Indian Lake Reservoir Lands; (NOTE: THIS LINE IS THE

Thence with the west line of said Lot No. 46-361 and Lot No. 46-361A as deeded to Joseph E. Kavy by Governor's Deed in Deed Volume 326 Pages 205-206 (3-19-1968), S. 42° 57' W. 50.03 feet to a point;

Thence with the west line of Lot No. 46-361A, S. 42°24'20" W.

6.72 feet to a point at the corner of a concrete seawall;

Thence with the concrete seawall, S. 13°57'38" W. 18.40 feet to a corner on said seawall;

Thence with another concrete seawall, N. 77°02'01" W. 4.55 feet to its end;

Thence N. $63^{\circ}02'59"$ W. 23.28 feet to a 5/8" x 30" Rebar set on the curve of a 80.00 foot turnaround, said turnaround having a radius of 40.00 feet:

Thence with the curve of said turnaround on the arc, a distance of 61.95 feet in a northerly direction to a 5/8" x 30" Rebar set, passing through a 5/8" x 30" Rebar set at 30.975 feet on said arc;

Thence with the east line of Lake Drive, N. 3°43' W. 14.67 feet to the place of beginning, containing 2,794.405 square feet or 0.0642 Acres, more or less.

I hereby certify that this description is the result of a field survey completed by me on November 30, 1988.


400 N. Park St.


Bellefontaine, Ohio

DANIEL E. GILBERT, P.S Reg. Sur. No. 5402

43311

INDEXED ON MAP





DISK 37 FTEETS

DE LA CONTRACTOR

L 1897-4